



Notice to Mariners – Hornsea Project Two

Notice of Substation Topsides Installation – Commencement of Installation 13/10/21

1. SUMMARY OF OPERATIONS

Activity update: Commencement of installation of topsides

General activity: Offshore Substation (OSS) & Reactive Compensation Station (RCS) installation

Location: Hornsea Project Two area (as shown in Figure 2)

Contractor: Heerema Marine Contractors (HMC)

Updated vessels: (further details provided in Section 5)

Proposed start date: On or after 20th October 2021

Proposed end date: On or around 15th November 2021

Notes: These works will be carried out alongside ongoing survey and construction

activities for Hornsea Project Two.

Mariners are advised that MaxSea and Olex plotter files of the proposed works area can be provided by the Project's Commercial Fisheries Advisors at Brown and May Marine Limited and the Project's onshore fisheries liaison. Contact details are provided in Section 5 of this Notice.

2. HAZARDS & SAFETY

Note that the vessels will have limited manoeuvrability and it is requested that all vessels operating near the vessels, including the HTV & Installation Vessel undertaking the topside transfer outside the Project's Order Limits (proposed location shown in Figure 2), maintain a safe distance (at least 500m) and pass all vessels at minimum speed.

Rolling' 500m Safety Zones (SZs) will be in place around each wind farm structure when a construction vessel *is* present. When a construction vessel *is not* present, 50m SZs are in place around any wind farm structure that is either partially constructed but not yet commissioned.

It is requested that anybody having knowledge of any potential objects submerged or moored on the seabed within the works area that could be damaged or form a hazard to the vessel and its equipment advises the Project's Fishing Industry Liaison of their position and nature. The Project has also requested the clearance of static fishing gear within the boundary shown in Figure 1 and described in Section 6 of this Notice. When works commence a listening watch will be maintained on VHF Channel 12 and 16 when within the appropriate port authority area and will actively transmit an AIS signal.



Figure 1. Fisheries Clearance Area







Figure 2. OSS & RCS topside installation locations





3. IMMEDIATE CONTACTS

The contents of this notice are based upon our current understanding of Project Two requirements. A further notice will be issued once activities are completed.

Enquiries regarding the contents of this Notice to Mariners or any other matters should be directed to:

Project Manager (Ørsted)	Garry Blowers		
(Office hours only)	Tel: +44 77 6 9147710	E-mail: GARBL@orsted.com	
Project Manager	John Bouwman		
(Heerema Marine Contractors)	Tel: +31 620 59 6856	E-mail: jbouwman@hmc-heerema.com	
(Office hours only)			

4. FISHERIES LIAISON

Onshore Fisheries Liaison is provided by Nick Garside and Sophie Farenden who can be contacted on:

E-mail: nick.garside@live.co.uk	Mob: +44 (0) 7538 827013
Email: sophie.farenden@brownmay.com	Mob: +44 (0)7525 128344

An Offshore Fisheries Liaison Officer is onboard the Emswind Guard Vessel and Boka Falcon, contactable on VHF channel 16, if required. Please refer to the Hornsea Two Project Environmental Monitoring and Management Plan (PEMMP) (Ørsted Doc. Ref.: 00464250) for further details of personnel roles and responsibilities involved in the project.

In the event the Offshore or Onshore Fisheries Liaison is not contactable please direct fisheries enquiries related to the works to the Ørsted Company Fisheries Liaison Officer:

Company Fisheries Liaison Officer –	Tel: +44 (0)7796 447372	E-mail: CONFR@orsted.com
Courtney French		

5. VESSELS

Operations will be conducted by a number of vessels as provided below. Additional vessels may mobilise to site as required. Contact can be made directly with the vessels, where necessary, using the contact details listed below. This Notice will be updated with further contact details once confirmed. Client and contractor contact details are provided in Section 3 and 4 of this NtM.

Orsted

Vessel Name / Image	Vessel Type / Function	Vessel Tel.	Vessel E-mail	Call Sign	MMSI
Sleipnir	Installation Vessel	Master: +870 437 48 8710	bridge@sleipnir.hmc- heerema.com	3FER4	374887000
Hua Hai Long	Heavy Transport Vessel (HTV)	+86-136-0976-4037 +86-021-66938978 00870-773-120320	huahailong@gzsalvage.cn	BSNK	412036000
Kolga	Anchor Handling Tug	Master: +881623457688	Bridge@kolga.hmc- heerema.com	PCTR	244790079
Boskalis Princess	HTV Tow tug	Mobile: +31 6 270 728 37 Bridge: +47 236 704 41	princessbridge@boskalis.com	ORQU	205642000



6. COORDINATES

Shown in Figure 2 – Substation locations

Position	Longitude (DMS)	Latitude (DMS)	Longitude (DDM)	Latitude (DDM)
oss	1° 37' 50.470" E	53° 56' 21.867" N	1° 37.841' E	53° 56.364' N
RCS	0° 55' 56.202" E	53° 38' 0.137" N	0° 55.937' E	53° 38.002' N
Topside transfer				
location	1° 34' 30.026" E	54° 1' 36.018" N	1° 34.500' E	54° 1.600' N

Shown in Figure 1 – Fisheries Clearance Area

Latitude	Longitude	Latitude	Longitude
(WGS84)	(WGS84)	(WGS84)	(WGS84)
53° 59' 47,212" N	2° 4' 13,879" E	53° 31' 48,148" N	0° 5′ 14,392" E
53° 57' 33,751" N	2° 6' 35,650" E	53° 32' 0,611" N	0° 5′ 54,673" E
53° 57' 15,701" N	2° 6' 36,035" E	53° 31' 55,416" N	0° 6′ 23,153" E
53° 57' 6,478" N	2° 6' 18,896" E	53° 32' 11,157" N	0° 8' 27,502" E
53° 56' 59,777" N	2° 5' 28,497" E	53° 32' 31,751" N	0° 12' 37,383" E
53° 56′ 42,915″ N	2° 5′ 36,351″ E	53° 32' 19,716" N	0° 13' 26,968" E
53° 56' 28,883" N	2° 5′ 17,519″ E	53° 32' 8,099" N	0° 13' 44,182" E
53° 56′ 3,483″ N	2° 2' 8,588" E	53° 29' 28,003" N	0° 20' 8,972" E
53° 55' 27,479" N	2° 2' 46,083" E	53° 31' 7,268" N	0° 31' 29,653" E
53° 55' 15,410" N	2° 2' 44,720" E	53° 31' 33,595" N	0° 34' 20,769" E
53° 55' 6,438" N	2° 2' 32,255" E	53° 32' 0,629" N	0° 36' 36,759" E
53° 54' 43,304" N	1° 59' 50,397" E	53° 32' 9,093" N	0° 37' 40,901" E
53° 54' 49,180" N	1° 59' 21,898" E	53° 32' 4,863" N	0° 38' 20,144" E
53° 55' 12,752" N	1° 59' 2,060" E	53° 32' 20,102" N	0° 39' 23,807" E
53° 54' 48,758" N	1° 56' 10,242" E	53° 33' 35,071" N	0° 40' 20,327" E
53° 55′ 4,977″ N	1° 55' 8,846" E	53° 35' 40,809" N	0° 42' 26,986" E
53° 55' 17,637" N	1° 53' 38,207" E	53° 36' 18,396" N	0° 43' 39,237" E
53° 55' 12,551" N	1° 52' 45,906" E	53° 36' 44,069" N	0° 45' 23,338" E
53° 55' 19,225" N	1° 52' 28,565" E	53° 37' 7,109" N	0° 47' 34,987" E
53° 56' 0,723" N	1° 51' 42,606" E	53° 37' 33,029" N	0° 49' 10,746" E
53° 55' 28,077" N	1° 47' 37,142" E	53° 37' 33,513" N	0° 51' 28,386" E
53° 55' 35,546" N	1° 47' 20,574" E	53° 38' 2,090" N	0° 53' 44,466" E
53° 58' 20,012" N	1° 44' 17,211" E	53° 38' 9,119" N	0° 55' 9,396" E
53° 58' 5,598" N	1° 42' 39,466" E	53° 38' 26,805" N	0° 55' 12,814" E
53° 56' 39,567" N	1° 44' 13,897" E	53° 38' 28,306" N	0° 56' 36,030" E
53° 56' 25,332" N	1° 44' 17,657" E	53° 38' 20,125" N	0° 56' 41,437" E
53° 56' 11,448" N	1° 43′ 56,913″ E	53° 38' 24,187" N	0° 57' 1,622" E
53° 55' 46,244" N	1° 41' 19,719" E	53° 38' 21,625" N	0° 57' 55,787" E
53° 55' 1,973" N	1° 40′ 23,796″ E	53° 38' 37,874" N	0° 59' 18,954" E
53° 50' 2,447" N	1° 39' 30,939" E	53° 40' 39,445" N	1° 5′ 39,744″ E
53° 49' 49,003" N	1° 39' 16,731" E	53° 41' 15,927" N	1° 6' 49,625" E



Latitude	Longitude	Latitude	Longitude
			_
(WGS84)	(WGS84)	(WGS84) 53° 41' 48,180" N	(WGS84) 1° 9' 45,281" E
53° 49' 46,428" N	1° 35' 32,259" E	53° 43' 0,796" N	1° 14' 34,354" E
53° 46' 48,702" N	1° 28' 4,620" E	53° 43' 3,158" N	1° 15' 27,373" E
53° 46' 42,946" N	1° 27' 31,338" E	53° 44' 5,955" N	1° 20′ 8,767" E
53° 43' 49,843" N	1° 20' 24,581" E	53° 45' 51,124" N	1° 23' 36,801" E
53° 42' 44,084" N	1° 15' 38,529" E	53° 47' 35,307" N	1° 26' 46,815" E
53° 42' 41,344" N	1° 14' 42,628" E	53° 47' 58,031" N	1° 27' 46,976" E
53° 41' 21,520" N	1° 9' 20,997" E	53° 49' 40,483" N	1° 30′ 32,038″ E
53° 40' 22,700" N	1° 6' 37,474" E		·
53° 39' 47,066" N	1° 5′ 28,175″ E	53° 49' 47,250" N	1° 30' 53,561" E
53° 38' 16,403" N	0° 59' 25,479" E	53° 49' 47,882" N	1° 26' 56,955" E
53° 38' 2,077" N	0° 57' 59,391" E	53° 49' 52,264" N	1° 26' 39,020" E
53° 38' 4,166" N	0° 56' 57,224" E	53° 50' 2,497" N	1° 26' 28,120" E
53° 37' 58,937" N	0° 56' 42,467" E	54° 0' 31,528" N	1° 25' 47,038" E
53° 37' 33,594" N	0° 56' 40,248" E	54° 0' 42,580" N	1° 25' 52,784" E
53° 37' 31,948" N	0° 55' 15,847" E	54° 0' 49,685" N	1° 26' 7,903" E
53° 37' 47,540" N	0° 55' 10,458" E	54° 0' 37,879" N	1° 38' 38,420" E
53° 37' 44,942" N	0° 54' 9,203" E	53° 59' 56,311" N	2° 3' 47,577" E
53° 37' 14,693" N	0° 51' 46,505" E	53° 59' 47,212" N	2° 4' 13,879" E
53° 37' 14,455" N	0° 49' 47,661" E		
53° 36′ 44,170″ N	0° 47' 39,734" E		
53° 36' 0,540" N	0° 43′ 53,312″ E		
53° 35' 29,375" N	0° 42' 55,137" E		
53° 33' 22,426" N	0° 40′ 48,516″ E		
53° 32' 7,546" N	0° 39' 51,893" E		
53° 31' 43,170" N	0° 38' 30,952" E		
53° 31' 12,017" N	0° 38' 4,665" E		
53° 30' 18,230" N	0° 32' 55,750" E		
53° 29' 22,551" N	0° 26' 30,856" E		
53° 29' 12,115" N	0° 24' 45,142" E		
53° 28' 29,570" N	0° 20' 21,581" E		
53° 28' 37,086" N	0° 19' 22,247" E		
53° 29' 50,796" N	0° 16' 18,425" E		
53° 30' 54,775" N	0° 14' 10,391" E		
53° 31' 2,707" N	0° 13' 24,903" E		
53° 31' 31,865" N	0° 12' 8,960" E		
53° 31' 8,839" N	0° 8' 14,664" E		
53° 30' 56,336" N	0° 7' 6,528" E		
53° 30' 48,777" N	0° 7' 1,728" E		
53° 30' 39,121" N	0° 6' 17,311" E		
53° 30' 39,405" N	0° 5' 52,891" E		
53° 31' 5,230" N	0° 4' 40,609" E		
00 01 0,200 IN	U T TU,008 E	J	